

**Form 5.3 Field Paint Chip Sampling Form.**

(Use a separate form for each housing unit, common area, or exterior. Sample all layers of paint, not just deteriorated paint layers.) Page \_\_\_\_ of \_\_\_\_

Property address: \_\_\_\_\_ Name of property owner: \_\_\_\_\_

Apt. No. \_\_\_\_\_ Common Area, Housing Unit, or Exterior: \_\_\_\_\_

Name of risk assessor: \_\_\_\_\_ Date of assessment: \_\_\_\_/\_\_\_\_/\_\_\_\_

Sample Number	Location	Room Equivalent	Building Component	Size of Sample (cm x cm)*	Lead (mg/cm <sup>2</sup> )	Lead (µg/g)	Notes
<b>Federal standard:</b>					<b>1.0</b>	<b>5,000</b>	

\*Samples submitted to the laboratory for analysis must include the area in square centimeters for the result to be reported as mg/cm<sup>2</sup>.

Total number of samples on this page: \_\_\_\_\_

Date of sample collection: \_\_\_\_/\_\_\_\_/\_\_\_\_ Date shipped to lab: \_\_\_\_/\_\_\_\_/\_\_\_\_ Shipped by: \_\_\_\_\_ (signature)

Received by: \_\_\_\_\_ (signature and date) Reviewed by: \_\_\_\_\_ (signature and date)

Date results reported (by lab): \_\_\_\_/\_\_\_\_/\_\_\_\_ Reviewed by: \_\_\_\_\_ (signature and date)